



Professional **LIGHTING**


2025
PRODUCT
CATALOGUE








	Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	Cutout
 ECO PANEL	8W 12W 15W 18W 22W 30W 48W	- - - - - - -	PKW PKW PKW PKW PKW PKW PKW	3K/4K/6K 3K/4K/6K 3K/4K/6K 3K/4K/6K 3K/4K/6K 6K 6K		4inch 5inch 6inch 7inch 8inch 11inch 23inch
 EDGE SERIES PANEL	8W 12W 15W	- - -	PKW PKW PKW	3K/4K/6K 3K/4K/6K 3K/4K/6K		4inch 5inch 6inch
 DEN Low deep down light	12W 18W 24W	120° 120° 120°	PKW PKW PKW	3K/4K/6K 3K/4K/6K 3K/4K/6K	108×108×24 133×133×24 158×158×24	3.5inch 4.5inch 5.5inch
 RIGELA Deep down light	12W 18W 24W	120° 120° 120°	PKW PKW PKW	3K/4K/6K 3K/4K/6K 3K/4K/6K	125×125×45 155×155×45 175×175×50	4inch 5inch 6inch
						1



	Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	Cutout
 PLATZ Recess deep down light	12W 18W 24W	120° 120° 120°	PKW + SB/ PKW + RG/ PKW + WH/ BK + SB/ BK + RG/ BK + WH	3K/4K/6K 3K/4K/6K 3K/4K/6K	100×100×48 130×130×48 150×150×48	92mm 120mm 140mm
 SUMO Deep down light (recess)	10W 15W 20W	120° 120° 120°	PKW / BK PKW / BK PKW / BK	3K/4K/6K 3K/4K/6K 3K/4K/6K	93×93×46 118×118×46 158×158×46	85mm 110mm 150mm
 MULTI PANEL	3+3W 6+3W 12+4W	- - -	- - -	WH + PGB WH + PGB WH + PGB	- - -	2.5 inch 4 inch 6 inch
 MULTI SURFACE	3+3W 6+3W 12+4W	- - -	- - -	WH+ PGB WH+ PGB WH+ PGB	- - -	- - -
						2



	Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	Cutout
 ECO SURFACE PANEL	8W 15W 22W	- - -	PKW PKW PKW	3K/4K/6K 3K/4K/6K 3K/4K/6K	- - -	- - -
 ALICE SURFACE	15W 20W	- -	PKW / BK PKW / BK	3K/4K/6K 3K/4K/6K	- -	- -
 REMO Surface down light (heavy duty)	12W 18W 24W	120° 120° 120°	PKW / BK PKW / BK PKW / BK	3K/4K/6K 3K/4K/6K 3K/4K/6K	80×80×46 90×90×48 128×128×50	- - -
 DEW PLUS	15W 20W	120° 120°	PKW / BK PKW / BK	3K/4K/6K 3K/4K/6K	55×55×70 85×85×72	- -
						3



LYT 111

Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	Cutout
3W	38°	PKW	3K/4K/6K	65×65×35	55mm
7W	38°	PKW	3K/4K/6K	85×85×40	80mm
12W	38°	PKW	3K/4K/6K	85×85×40	80mm
18W	38°	PKW	3K/4K/6K	108×108×50	100mm
24W	38°	PKW	3K/4K/6K	135×135×80	120mm
30W	38°	PKW	3K/4K/6K	150×150×100	132mm
50W	38°	PKW	3K/4K/6K	150×150×100	132mm



LYT 201

3W	28°	PKW / BK	3K/4K/6K	38×38×28	28mm
3W	28°	PKW / SB	3K/4K/6K	38×38×28	28mm
7W	38°	PKW / BK	3K/4K/6K	70×70×65	55mm
12W	38°	PKW / BK	3K/4K/6K	85×85×70	75mm
18W	38°	PKW / BK	3K/4K/6K	95×95×100	85mm
30W	45°	PKW / BK	3K/4K/6K	140×140×100	130mm
50W	45°	PKW / BK	3K/4K/6K	140×140×115	130mm



LYT 203

7W	45°	PKW + BK/ PKW + RG / PKW + GD/ PKW + GB/ BK + BK/ BK + RG/ BK + GD/ BK + GB	3K/4K/6K	70×70×55	60mm
12W	45°		3K/4K/6K	88×88×60	75mm
18W	45°		3K/4K/6K	98×98×55	88mm



**OPEHELIA PRO
DETACHABLE**

7W	38°	PKW + SB/	3K/4K/6K	62×62×70	55mm
12W	38°	PKW + RG /	3K/4K/6K	85×85×85	75mm
18W	38°	PKW + WH/	3K/4K/6K	105×105×108	95mm
		BK + SB /			
		BK + RG/			
		BK + WH			



ARCH COB



XOLO CAB



ESTEEM 2IN1



RAINPROOF COB

Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	Cutout
12W	38°	PKW/BK	3K/4K/6K	85×85×75	75mm
12W	38°	Satin BK/ Rose gold/ Matt white	3K/4K/6K	80×80×45	70mm
12+3W	38°	PKW+SB	3K/4K/6K	85×85×90	75mm
12W 20W 30W 50W	38° 38° 38° 38°	PKW+SB PKW+SB PKW+SB PKW+SB	3K/4K/6K 3K/4K/6K 3K/4K/6K 3K/4K/6K	85×85×90 105×105×54 130×130×75 150×150×80	75mm 95mm 115mm 135mm



SURFACE CYLINDER

Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	outer dia (in mm)
7W	45°	PKW+BK/ PKW+GB/ PKW+RG/	3K/4K/6K	55×55×70	55
12W	45°	PKW+SS/ BK+BK/ BK+GB/	3K/4K/6K	70×70×90	70
18W	45°	BK+RG/ BK+SS	3K/4K/6K	85×85×100	85




SURFACE CYLINDER

7W	45°	PKW+BK/ PKW+GB/ PKW+RG/	3K/4K/6K	55×55×70	55
12W	45°	PKW+SS/ BK+BK/ BK+GB/	3K/4K/6K	70×70×90	70
18W	45°	BK+RG/ BK+SS	3K/4K/6K	85×85×100	85




SURFACE CYLINDER

15W	38°	(PKW + BK/ BK+BK)	3K/4K/6K	65×65×95	-
24W	38°		3K/4K/6K	80×80×120	-
36W	38°		3K/4K/6K	95×95×150	-
50W	38° & 60°		3K/4K/6K	95×95×150	-



SURFACE CYLINDER (ECO)

7W	45°	PKW+BK/ PKW+GB/ PKW+RG/	3K/4K/6K	55×55×70	55
12W	45°	PKW+SS/ BK+BK/ BK+GB/	3K/4K/6K	70×70×90	70
18W	45°	BK+RG/ BK+SS	3K/4K/6K	85×85×100	85




360° CYLINDER MOVABLE

Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	outer dia (in mm)
7W	38°	(PKW+SB PKW+RG BK+SB BK+RG)	3K/4K/6K	60×60×75	-
12W	38°		3K/4K/6K	78×78×95	-
18W	38°		3K/4K/6K	93×93×105	-




RAINPROOF CYLINDER

12W	45°	BK+BK	3K/4K/6K	75×75×100
20W	45°	BK+SB	3K/4K/6K	93×93×105
30W	45°	BK+SB	3K/4K/6K	115×115×152
50W	45°	BK+BK	3K/4K/6K	140×140×162



CASSINI HONEY COMB

Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	cutout (in mm)
2×7 (14W)	38°	PKW+MB BK+BK	3K/4K/6K	65×126×52	55×115
2×12 (24W)	38°	PKW+MB BK+BK	3K/4K/6K	85×170×60	70×156



TWIN SPOTLIGHT

12×2 (24W)	-	PKW/BK	3K/4K/6K	85×165×85	155×75
------------	---	--------	----------	-----------	--------



HEXA

Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	Cutout (In mm)
7W	38°	PKW/BK	3K/4K/6K	62×93	55
2×7W	38°	PKW	3K/4K/6K	140×93	126×65
12W	38°	PKW/BK	3K/4K/6K	84×104	75
12×2 24W	38°	PKW /BK	3K/4K/6K	194×104	177×88



ZOOM

12W	45°	PKW	3K/4K/6K	90×90×75	75
20W	45°	PKW	3K/4K/6K	110×110×95	95
30W	45°	PKW	3K/4K/6K	135×135×115	115
50W	45°	PKW	3K/4K/6K	165×165×145	145



LYT 203

3W	-	PB/RG	3K/4K/6K	-	30
----	---	-------	----------	---	----



2 FEET CON LINEA

18W	-	PKW/BK	3K/4K/6K	-	1×23 Inch
-----	---	--------	----------	---	--------------



	Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	Cutout
	3W 6W 8W 12W 24W	36° 36° 30° 30° 30°	PKW+WH PKW+BK PKW+RG BK+BK BK+WH BK+RG	3K/4K/6K 3K/4K/6K 3K/4K/6K 3K/4K/6K 3K/4K/6K	45×45×32 68×45×32 105×45×42 146×45×42 282×45×32	35×35 58×35 95×35 137×35 272×37
LISTER 	12W	36°	PKW+BK/	3K/4K/6K	146×45×42	137×35
MOVABLE LINEA 	7W	38°	PKW/BK	3K/4K/6K	35×35×120	-
STREAK 360° CYLINDER SURFACE						
	7W Streak 7W Streak Pull Out	38° 38°	PKW/BK PKW/BK	3K/4K/6K 3K/4K/6K	48×48×85 48×48×75	38 38
STREAK 360° CONCEALED						



LYT 501

Watt	Beam Angle	Finishing	CCT	Dimensions (In mm)	outer dia (in mm)
12W	38°	PKW/BK	3K/4K/6K	50×50×120	59
20W	38°	PKW/BK	3K/4K/6K	65×65×160	65
30W	38°	PKW/BK	3K/4K/6K	75×75×180	75



LYT 502

15W	38°	PKW/BK	3K/4K/6K	110×55×140	55
24W	38°	PKW/BK	3K/4K/6K	130×63×150	63
36W	45°/60°	PKW/BK	3K/4K/6K	145×90×160	90
50W	45°/60°	PKW/BK	3K/4K/6K	145×90×160	90



LYT 601

12W	38°	PKW/BK	3K/4K/6K	30×30×110	30
20W	38°	PKW/BK	3K/4K/6K	50×50×120	50
30W	38°	PKW/BK	3K/4K/6K	75×75×180	75



LYT 602

15W	38°	PKW/BK	3K/4K/6K	110×55×140	55
24W	38°	PKW/BK	3K/4K/6K	130×63×150	63
36W	45°/60°	PKW/BK	3K/4K/6K	145×90×160	90
50W	45°/60°	PKW/BK	3K/4K/6K	145×90×160	90



EDGE PLUS

Watt	Beam Angle	Finishing	Surge Protection	Dimensions (in mm)	Rating
50W	110°	BK	6Kv	250×140	IP65
100W	110°	BK	6Kv	300×155	IP65
150W	110°	BK	6Kv	350×155	IP65
200W	110°	BK	6Kv	350×155	IP65



HIGH - BAY LIGHT

50W	90°	BK	6Kv	200×200×45	IP66
100W	90°	BK	6Kv	240×240×45	IP66
150W	90°	BK	6Kv	300×300×45	IP66
200W	90°	BK	6Kv	350×350×55	IP66



BOXER

20W	120°	BK	4Kv	140×120×32
30W	120°	BK	4Kv	178×152×55
50W	120°	BK	6Kv	230×198×55
100W	120°	BK	6Kv	285×245×60
150W	120°	BK	6Kv	355×290×60
200W	120°	BK	6Kv	425×320×60
300W	120°	BK	6Kv	425×320×60



LENS

Watt	Beam Angle	Finishing	Surge Protection	Dimensions (in mm)	Cutout (in mm)
24W	120°	GREY	4Kv	255×102×55	-
36W	120°	GREY	4Kv	300×120×55	-
50W	120°	GREY	6Kv	350×142×58	-
72W	120°	GREY	6Kv	395×162×45	-
100W	120°	GREY	6Kv	480×192×70	-



DESCRIPTION	CCT
12V - 2835/240 LED SILVER SERIES (22LM)	3K/4K/6K
12V - 2835/240 LED PLATINUM SERIES (26LM)	3K/4K/6K
12V - 2835/240 LED DIAMOND SERIES (26LM)	3K/4K/6K
12V - 2835/240 LED LYTSON HEAVY SERIES (26LM)	3K/4K/6K
12V - 2835/240 LED LYTSON 3CCT	3 in 1
12V - 2835/180 LED 10mm 26LM (PLATINUM SERIES)	3K/4K/6K
12V - 2835/180 LED 10MM LYTSON HEAVY SERIES (26LM)	3K/4K/6K
12V - 2835/180 LED 10MM LYTSON 3CCT	3 in 1
12V- 2835/ 180 LED 5MM STRIPS	3K/4K/6K
	12



DESCRIPTION

CCT

12V- 2835 / 120 LED 8MM (PREMIUM SERIES)

3K/4K/6K

12V- 2835 / 120 LED 8MM LYTSON HEAVY

3K/4K/6K

12V- 2835 / 120 LED 8MM LYTSON 3CCT

3 IN 1

12V- 2835 / 120 LED 5MM STRIP

3K/4K/6K

12V- 2835 / 120 LED 5MM STRIP


Blue, Green,
Pink, Red

24V- 2835 / 240 LED 10MM (PLATINUM SERIES)

3K/4K/6K

24V- 2835 / 180 LED 5MM (PLATINUM SERIES)

3K/4K/6K



36w 4ft led tube light

3K/4K/6K



2835/120led 8mm rope light

Wh,ww,blue,green,pink,ice blue,amber,lemon yello,ice green



ULTRA SLIM SMPS

Item code

Watt

Dimensions
(In mm)

12.V.-2A.

24W

90×40×22

12.V.-5.0A.

60W

114×50×22

12.V.-8.5A.

100W

138×50×22

12.V.-10.0A.

120W

138×50×22

12.V.-12.5A.

150W

178×50×22

12.V.-16.6A.

200W

178×50×22

12.V.-25A.

300W

205×50×22

12.V.-33A.

400W

238×50×22



SAM SMPS

12.V.-5.0A.

60W

114×50×22

12.V.-8.5A.

100W

138×50×22

12.V.-10.0A.

120W

138×50×22

12.V.-12.5A.

150W

178×50×22

12.V.-16.6A.

200W

178×50×22

12.V.-25A.


300W

205×50×22

12.V.-33A.

400W

238×50×22



SAM PLUS SMPS

24V.-2.5A.

60W

114×50×22

24.V.-5.0A.

120W

138×50×22

24.V.-10.0A.

240W

205×50×22

24.V.-12.5A.

300W


205×50×22

24.V.-16.5A.

400W

238×50×22



	wattage	MODEL NAME	COLOR CCT	SIZE	BODY COLOR
	10WATT	EAGLE WALL 2SIDE	3000K WW	380*95*80mm	MATT BLACK / MATT WHITE
	10WATT	EARTH ROUND UPDOWN	3000K WW	180*180*83mm	MARBLE BLACK
	10WATT	BUTTERFLY UPDOWN	3000K WW	150*150*80mm	MARBLE WHITE
	10WATT	SAPPHIRE UP N DOWN	3000K WW	260*120*65mm	MARBLE WHITE
	10WATT	HEXON UP N DOWN	3000K WW	170*140*92mm	MARBLE WHITE

SILICON PROFILE



8*8mm silicon profile

10*10

12*12

16*16eco

16*16 heavy

20*20

30*20mm



MAGNETIC SERIES

TRACK SURFACE



Model No :
Cut-Out : ϕ 26mm
Body Colour : Black
Available in 1/2/3mtr

TRACK TRIMLESS



Model No :
Cut-Out : ϕ 26mm
Body Colour : Black
Available in 1/2/3mtr

TRACK 10W



Model No :
Watt : 10w
Dimension : ϕ 48*H125mm
CCT : 3000K/4000K/6500K
Body Colour : Black

TRACK 20W



Model No :
Watt : 20w
Dimension : ϕ 48*H125mm
CCT : 3000K/4000K/6500K
Body Colour : Black

DRIVER 100W



Model No :
Watt : 100w
Description : Input 220v, Output 48V/2.1A
Body Colour : Black

DRIVER 200W



Model No :
Watt : 200w
Description : Input 220v, Output 48V/4.2A
Body Colour : Black

DIFFUSER 10W



Model No :
Watt : 10w
Dimension : L307*W22*H25mm
CCT : 3000K/4000K/6500K
Body Colour : Black

DIFFUSER 20W



Model No :
Watt : 20w
Dimension : L607*W22*H25mm
CCT : 3000K/4000K/6500K
Body Colour : Black

DIFFUSER 30W



Model No :
Watt : 30w
Dimension : L902*W22*H25mm
CCT : 3000K/4000K/6500K
Body Colour : Black

L DIFFUSER 10W



Model No :
Watt : 10w
Dimension : L300*W22*H42mm
CCT : 3000K/4000K/6500K
Body Colour : Black

L DIFFUSER 20W



Model No :
Watt : 20w
Dimension : L300*W22*H42mm
CCT : 3000K/4000K/6500K
Body Colour : Black

LASER 6W



Model No :
Watt : 6w
Dimension : L115*W22*H25mm
CCT : 3000K/4000K/6500K
Body Colour : Black

LASER 12W



Model No :
Watt : 12w
Dimension : L223*W22*H25mm
CCT : 3000K/4000K/6500K
Body Colour : Black

LASER 18W



Model No :
Watt : 18w
Dimension : L331*W22*H25mm
CCT : 3000K/4000K/6500K
Body Colour : Black

LASER MOVABLE



Model No :
Watt : 6w
Dimension : L110*W22*H102mm
CCT : 3000K/4000K/6500K
Body Colour : Black

LASER MOVABLE




Model No :
Watt : 12w
Dimension : L220*W22*H102mm
CCT : 3000K/4000K/6500K
Body Colour : Black

LASER MOVABLE



Model No :
Watt : 6w
Dimension : L110*W22*H102mm
CCT : 3000K/4000K/6500K
Body Colour : Black

LASER MOVABLE



Model No :
Watt : 12w
Dimension : L220*W22*H102mm
CCT : 3000K/4000K/6500K
Body Colour : Black

HANGING WIRE




Body Colour : Silver

SPRING MOVABLE



Body Colour : Silver

CORNER CONCEAL




Body Colour : Black

CORNER SURFACE



Body Colour : Black

CORNER TRIMLESS



Body Colour : Black

JOINTER BIG



Dimension : L322*W16*H17mm
Body Colour : Black

JOINTER SMALL



Dimension : L135*W16*H17mm
Body Colour : Black

LYT-101
6watt
12watt


3 ACTION



LYT-102

A
B
C

12 watt
3 ACTION



LYT-103

18 watt
3 ACTION



LYT-104

12watt
3 ACTION




LYT-105

12watt
3 ACTION



LYT-106

12watt
3 ACTION



LYT-109
12watt



LYT-110

6watt
12watt
3 ACTION



LYT-111

12watt
3 ACTION



LYT-112
12watt

3 ACTION



LYT-113
12watt

3 ACTION



LYT-114



