


LEADERS

— IN QUALITY —

LEADERS

IN DEPENDABILITY



Residential & Commercial

Flame Retardant (FR) PVC Insulated
Industrial Cables
Flamegard - Flame Retardant Low Smoke
(FR-LSH) Industrial Cables
Halogard - Halogen Free Flame Retardant
(HFFR) Industrial Cables
Flexible Cables Single Core

Communication Cables

Co-axial Cables
Telephone Cables
CCTV Cables
Speaker Cables
LAN Cables
Optic Fibre Cables (HSN - 9001)

Agriculture

3 Core Flat Cables
PVC Insulated Winding Wires

Automobile/Solar Power

Auto Cables
Solar Cables



Residential & Commercial

List Price wef. 16 April 2025



**High grade
99.97% pure bare
copper conductor**



**Abrasion resistant
grade sheath
material**



**Long life &
highly durable
cables**

FINOULTRA



FINOULTRA E BEAMED LOW SMOKE ZERO HALOGEN INSULATED INDUSTRIAL CABLES

FINOLEX MAKE FINOULTRA SINGLE CORE UNSHEATHED ELECTRON BEAM CROSS LINKED HALOGEN FREE FLAME RETARDANT INSULATED CABLES WITH FLEXIBLE CLASS 5 BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 17048 : 2018

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10452	0.75	1400	20
10453	1	1795	20
10454	1.5	2665	12
10455	2.5	4255	12
10456	4	6390	8
10457	6	9420	4

PACKING : Finolex FinoUltra HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.

COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flame Retardant (FR) PVC Insulated Industrial Cables



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS 694:2010

GOLD PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10302	0.75	1325	20
10303	1.00	1825	20
10304	1.50	2680	12
10305	2.50	4240	12
10306	4.00	6195	8
10307	6.00	9260	4

Flame Retardant (FR) PVC Insulated Industrial Cables

List Price wef.16 April 2025



FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - SILVER PACK

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10312	0.75	1,270	20
10313	1.00	1,645	20
10314	1.50	2,390	12
10315	2.50	3,865	12
10316	4.00	5,950	8
10317	6.00	8,915	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10312016	0.75	2430	8
10313	1.00	3160	8
10314	1.50	4615	6
10315	2.50	7495	4
10306016	4.00	11,625	4
10307016	6.00	17,470	4

FINOLEX FLAME RETARDANT (FR) PVC INSULATED INDUSTRIAL CABLES - 45 PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10313	1.00	790	30
10314	1.50	1,155	24
10315	2.50	1,875	24
10316	4.00	2,905	12
10317	6.00	4,370	8

PACKING : Finolex PVC Insulated industrial cables are supplied in 90M,180M coils which are packed in master cartons as specified above

COLOURS : Finolex cables are available in five common colours: Red,Yellow, Blue, Black & Green.

Flamegard Flame Retardant Low Smoke(FR-LSH) Industrial Cables



List Price wef. 16 April 2025

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES

FINOLEX PVC INSULATED SINGLE CORE UNSHEATHED INDUSTRIAL CABLES WITH FLAME RETARDANT PROPERTIES & MULTISTRAND BARE COPPER CONDUCTOR FOR VOLTAGE GRADE UPTO 1100V AS PER IS694:2010

Product Code	Conductor Area (sq.mm.)	List Price per 90 m coil Rs.	No. of Coils packed in a Master Carton
10112013	0.75	1,300	20
10113	1.00	1,690	20
10114	1.50	2,455	12
10115	2.50	3,945	12
10106	4.00	6,105	8
10107	6.00	9,150	4

FLAMEGARD - FLAME RETARDANT LOW SMOKE (FR-LSH) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	List Price per 180 m coil Rs.	No. of Coils packed in a Master Carton
10112016	0.75	2,455	8
10113016	1.00	3,195	8
10114016	1.50	4,665	6
10115016	2.50	7,575	4
10106016	4.00	11,745	4
10107016	6.00	17,645	4

Product Code	Conductor Area (sq.mm.)	List Price per 45 m coil Rs.	No. of Coils packed in a Master Carton
10113	1.00	800	30
10114	1.50	1,165	24
10115	2.50	1,895	24
10106	4.00	2,935	12
10107	6.00	4,410	4

PACKING : Finolex PVC Insulated industrial cables are supplied in 90 M, 180 M coils which are packed in master cartons as specified above.

COLOURS : Finolex cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Halogen Free Flame Retardant (HFFR) Industrial Cables



List Price wef. 16 April 2025

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

FINOLEX MAKE FINOGREEN SINGLE CORE UNSHEATHED HALOGEN FREE FLAME RETARDANT INSULATED CABLES IN VOLTAGE GRADE UPTO 1100V

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10412013	0.75	1,335	20
10403	1.00	1,730	20
10404	1.50	2,515	12
10405	2.50	4,065	12

Product Code	Conductor Area (sq.mm.)	LP Per 90M Coil (Rs.)	No. of Coils packed in a Master Carton
10406	4.00	6,255	8
10407	6.00	9,365	4

HALOGEN FREE FLAME RETARDANT (HFFR) INDUSTRIAL CABLES - PROJECT PACKING

Product Code	Conductor Area (sq.mm.)	LP per coil Rs.	Length per coil	No. of Coils packed in a Master Carton
10413016	1.00	3,325	180	8
10414016	1.50	4,855	180	6
10415016	2.50	7,885	180	4
10406016	4.00	12,175	180	4
10407016	6.00	18,265	180	4

PACKING : Finolex HFFR Insulated industrial cables are supplied in 90 M coils in mono cartons which are packed in master cartons as specified above.
COLOURS : Finolex Cables are available in five common colours: Red, Yellow, Blue, Black & Green.

Flexible Cables



FLEXIBLE CABLES - SINGLE CORE

FINOLEX FR PVC INSULATED UNSHEATHED SINGLE CORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V CONFORMING TO IS:694/2010 UPTO 630 SQ.MM.

SINGLE CORE (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14001	0.50	930	975
14002	0.75	1,345	1,410
14003	1.00	1,755	1,845

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14104	1.50	2,565	2,695
14105	2.50	4,170	4,380
14206	4.00	6,435	6,755

SINGLE CORE Heavy Duty (Unsheathed): Colours Red, Black, Blue, Yellow, Grey & Green.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14207	6	9,660	10,145
14208	10	16,790	17,630
14209	16	25,460	26,735
14210	25	39,810	41,800
14211	35	55,610	58,390
14212	50	78,850	82,795

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)	FRLS LP Per 100M Coil (Rs.)
14513	70	1,14,950	1,20,700
14514	95*	1,52,015	1,59,615
14515	120*	1,95,265	2,05,030
14516	150*	2,41,830	2,53,920
14517	185*	2,98,915	3,13,860
14518	240*	3,93,040	4,12,690

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.

FLEXIBLE CABLES - MULTICORE

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

TWO CORE (Unsheathed): Two single cores Red & Black laid up & overall sheathed with PVC. Standard colour-Black

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17002	0.50	2,360
17002	0.75	3,250
17002	1.00	4,075

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17102	1.50	5,540
17102	2.50	8,960
17202	4.00	13,985

THREE CORE (Unsheathed): Three single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Black & Yellow/Green is for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17003	0.50	3,200
17003	0.75	4,465
17003	1.00	5,660

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17103	1.50	7,855
17103	2.50	12,590
17203	4.00	19,960

FOUR CORE (Unsheathed): Four single cores laid up & overall round sheathed with PVC.

Colour of cores are Red, Blue, Yellow & Yellow/Green for earthing. Sheath colour is Black.

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17004	0.50	4,080
17004	0.75	5,715
17004	1.00	7,300

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17104	1.50	10,305
17104	2.50	16,685
17204	4.00	26,350

Packaging : Cables shall be supplied in Standard length of 100 M

SIX TO NINETEEN CORES*: The Inner cores Red, Black, Yellow, Blue, Green, White, distinguishable strip/spiral on base colour and Yellow/Green is for earthing. Colour of sheath - Black.

SIX CORE* (Unsheathed): (There will be one dummy core in the centre)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17006	0.50	6,060
17006	0.75	8,685
17006	1.00	10,985

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17106	1.50	15,530
17106	2.50	25,180
17206	4.00	39,920

SEVEN CORES (1+6)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	7,080
17008	0.75	9,965
17008	1.00	12,735

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17107	1.50	18,065
17107	2.50	29,275
17207	4.00	46,235

EIGHT CORES*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17008	0.50	7,960
17008	0.75	11,255
17008	1.00	14,390

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17108	1.50	20,570
17108	2.50	33,405
17208	4.00	52,685

TEN CORES (2+8)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17010	0.50	9,680
17010	0.75	13,895
17010	1.00	17,810

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17110	1.50	25,330
17110	2.50	41,235
17210	4.00	65,370

TWELVE CORES (3+9)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17012	0.50	11,460
17012	0.75	16,495
17012	1.00	21,180

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17112	1.50	30,145
17112	2.50	49,390
17212	4.00	78,065

FOURTEEN TO NINETEEN CORES : Inner cores: One core Yellow, one core Blue and rest cores in Grey. Colour of sheath is Black.

FOURTEEN CORES: (4+10)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17014	0.50	13,380
17014	0.75	19,095
17014	1.00	24,560

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17114	1.50	35,225
17114	2.50	57,565
17214	4.00	90,675

SIXTEEN CORES (8 +11)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17016	0.50	15,170
17016	0.75	21,855
17016	1.00	28,095

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17116	1.50	40,085
17116	2.50	65,560
17216	4.00	1,03,745

NINETEEN CORES (1+6 + 12)*

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17019	0.50	17,745
17019	0.75	25,665
17019	1.00	33,230

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17119	1.50	47,385
17119	2.50	77,145
17219	4.00	1,22,515

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.
Packing: Cables shall be supplied in Standard length of 100 M

FLEXIBLE CABLES - MULTICORE HEAVY DUTY

FINOLEX FR PVC INSULATED & PVC ROUND SHEATHED MULTICORE BRIGHT ANNEALED BARE COPPER CONDUCTOR FLEXIBLE CABLES FOR VOLTAGE GRADE UPTO 1100 V AS PER IS694:2010

3 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203074	6	29,645
17203084	10	50,865
17203094	16*	79,070
17203104	25*	1,22,230
17203114	35*	1,71,390

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17203124	50*	2,45,715
17503134	70*	3,47,550
17503144	95*	4,58,745
17503154	120*	6,12,720

4 CORE ROUND SHEATHED (MULTICORE HEAVY DUTY)

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204074	6	38,940
17204084	10	66,640
17204094	16*	1,03,145
17204104	25*	1,61,900
17204114	35*	2,26,345

Product Code	Conductor Area (sq.mm.)	FR LP Per 100M Coil (Rs.)
17204124	50*	3,22,480
17504134	70*	4,59,840
17504144	95*	6,07,995
17504154	120*	7,94,465

The items marked * are non stock items. Please refer to marketing department for delivery confirmation indicating quantity, packing length, colour etc.
Packing : Cables shall be supplied in Standard length of 100 M



Communication Cables



High grade
99.97% pure bare
copper conductor



Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

Coaxial Cables

– Jelly



List Price wef. 16 April 2025

COAXIAL CABLES - JELLY

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 59 CU	1,750	5,338
RG 6 CU	2,440	7,442
RG 11 CU	5,570	16,989

Finolex Co-axial Cables With Electrolytic Grade Solid Bare Copper Conductor, Gas Injected Physical Polyethelene Foam Insulation, With Laminated aluminium Tape and AL Wire Braid, Jelly Flooded And PVC Jacketing In Black Colour.


Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 6 CCS	1,505	4,590
RG 11 CCS	3,065	9,348

Finolex Coaxial Cables with copper clad steel conductor (CCS), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

Type	100 m coil	305 m drum
	List Price (Rs.)	List Price (Rs.)
RG 11 CCA	3,515	10,721

Finolex Coaxial Cables with copper clad aluminium conductor (CCA), gas injected physical polyethelene foam insulation, with laminated aluminium tape and AL Wire braid, Jelly flooded and PVC Jacketing in Black colour.

CCTV Cable



Product Code	Product Description	Unit	List Price (Rs.)
65913013	RG59 JFX1+3X0.15 SQMM CCTV WHITE 90 MTR	90 Mtr	3,085
65913018	RG59 JFX1+3X0.15SQMM CCTV WHITE 305M	305 Mtr	10,455
65914013	RG59 JF X1+4X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,380
65914018	RG59 JF X1+4X0.15 SQMM CCTV WHITE 305 M	305 Mtr	11,454
65916013	RG59 JF XI +6X0.15 SQMM CCTV WHITE 90 M	90 Mtr	3,955
65916018	RG59 JF X1+6X0.15 SQMM CCTV WHITE 305 M	305 Mtr	13,403
65923033	CCTV CABLE GEN Z (3+1) 90 M	90 Mtr	1,765
65923036	CCTV CABLE GEN Z (3+1) 180 M	180 Mtr	3,480
65924033	CCTV CABLE GEN Z (4+1) 90 M	90 Mtr	1,965
65924036	CCTV CABLE GEN Z (4+1) 180 M	180 Mtr	3,895
65913033	CCTV CABLE (3+1) 90 MTR	90 Mtr	2,005
65913036	CCTV CABLE (3+1) 180 MTR	180 Mtr	3,965
65914033	CCTV CABLE (4+1) 90 MTR	90 Mtr	2,250
65914036	CCTV CABLE (4+1) 180 MTR	180 Mtr	4,430

Telephone Cable



TELEPHONE CABLES

FINOLEX TELEPHONE CABLES WITH HIGH DENSITY POLYETHYLENE INSULATED, SOLID ANNEALED HIGH CONDUCTIVITY BARE COPPER WITH DIA 0.5MM, PAIRED, POLYESTER TAPED FOR SIZES 10 PAIR AND ABOVE AND SHEATHED WITH HIGH OXYGEN INDEX FIRE RETARDENT PVC COMPOUND, GENERALLY CONFORMING TO ITD SPECIFICATIONS G / WIR-06/02. MAY 94 AND FINOLEX SPECIFICATIONS.

Product Code	Type	LP Per 90Mtr (Rs.)
31050013	1 pair	830
31050023	2 pair	1,480
31050033	3 pair	2,185
31050043	4 pair	2,880
31050053	5 pair	3,585

Product Code	Type	LP Per 90Mtr (Rs.)
31050103	10 pair	6,965
31050203	20 pair	13,295
31050503	50 pair	32,585
31051001	100 pair	63,455

Standard Length of the coil is 90 Mtrs. | Standard Length of the drum is 500m +/-10%

Finolex Telephone cables with high density polyethelene insulated, solid annealed high conductivity bare copper with DIA 0.4 mm, paired, polyester taped for sizes 10 pair and above sheathed with high oxygen index Fire Retardent PVC compound, generally conforming to ITD specifications G / WIR-06/02.May 94 and Finolex specifications.

Product Code	Type	LP Per 90Mtr (Rs.)
31040013	1 pair	585
31040023	2 pair	1,030
31040033	3 pair	1,520
31040043	4 pair	1,960
31040053	5 pair	2,410

Product Code	Type	LP Per 90Mtr (Rs.)
31040103	10 pair	4,850
31040203	20 pair	9,130
31040503	50 pair	22,090
31041001	100 pair	42,235


Standard Length of coil is 90 Meters. | Standard Length of the drum is 500m +/-10%

A nylon ripcord is provided for slitting the jacket without damaging the insulated cores. The outersheath colour is Grey. For any other pairage please refer to Marketing Department.

LAN Cable



Product Code	Product Description	Unit	List Price (Rs.)
32105048	UTP-4 Pair CAT 5 Enhanced LAN Cable	305 Mtr	9,290
32255042	0.5x4P UTP CAT-6 LAN * YLW * 305M	305 Mtr	11,430
32245042	0.5x4P UTP CAT-6 LAN * GRY * 305M	305 Mtr	11,430
32275042	0.5x4P UTP CAT-6 LAN * BLU * 305M	305 Mtr	11,430
32265042	0.5x4P UTP CAT-6 LAN * GRN * 305M	305 Mtr	11,430
32925048	0.5x4 Pair UTP Cat-5 (E) CCA LAN Cable	305 Mtr	6,615
32105028	0.5x2 Pair UTP CAT-5 E LAN Cable 250M	250 Mtr	3,660
32955048	0.5x4P UTP CAT-6 CCA LAN 305 X 2	305 Mtr	8,195
32206048	4P 23AWG UTP -CAT6A LAN GRY	305 Mtr	15,835
32245044	0.5 x4P UTP CAT6 LAN *GRY* 100M X 2	100 Mtr	3,545
32255248	0.5x4P UTP CAT6 LAN DOSTH 305	305 Mtr	14,495
32440608	4P 23 AWG CAT6 PE ECCS ARMD CBL 305M	305 Mtr	19,755
32245142	4P UTP CAT6 LITE LAN *GRY* 305M X 2	305 Mtr	10,812.25
32255142	4P UTP CAT6 LITE LAN *YLW* 305M X 2	305 Mtr	10,812.25
32265142	4P UTP CAT6 LITE LAN *GRN* 305M X 2	305 Mtr	10,812.25
32275142	4P UTP CAT6 LITE LAN *BLU* 305M X 2	305 Mtr	10,812.25




Speaker Cable



List Price wef. 16 April 2025

Product Code	Product Description	No. of coils in Master Carton	Unit	List Price (Rs.)
60324024	Speaker Cable 0.5 SQMM (Transparent)	6	100 Mtr	1,820
60325024	Speaker Cable 0.75 SQMM (Transparent)	6	100 Mtr	2,670
60326024	Speaker Cable 1 SQMM (Transparent)	6	100 Mtr	3,295
60327024	Speaker Cable 1.5 SQMM (Transparent)	6	100 Mtr	4,915
60328024	Speaker Cable 2.0 SQMM (Transparent)	6	100 Mtr	7,655
60329024	Speaker Cable 2.5 SQMM (Transperant]100M	6	100 Mtr	8,190
60324022	Speaker Cable 0.50 SQ MM (Transparent) 25 M	24	25 Mtr	455
60325022	Speaker Cable 0.75 SQ MM (Transparent) 25 M	24	25 Mtr	670
60326022	Speaker Cable 1.00 SQ MM (Transparent) 25 M	24	25 Mtr	825
60327022	Speaker Cable 1.50 SQ MM (Transparent) 25 M	24	25 Mtr	1,230

PACKING : Available in 100 M coils AND 25 M coil



Agriculture



High grade
99.97% pure bare
copper conductor




Abrasion resistant
grade sheath
material



Long life &
highly durable
cables

3 Core Flat Cable



3 CORE FLAT CABLE

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS CONFORMING TO AND MARKED WITH IS694:2010

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13713041	1.50	8,565
13713051	2.50	13,360
13703061	4.00	20,190
13803071	6.00	29,320
13803081	10.00	50,915
13803091	16.00	79,120

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13803101	25.00	1,23,690
13803111	35.00	1,71,400
13803121*	50.00	Prices for these sizes can be given on request.
13803131*	70.00	
13803141*	95.00	

FINOLEX THREE CORE FLAT CABLES WITH BARE COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13863049	1.50	8,995
13863059	2.50	14,030

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823069	4.00	21,200

FINOLEX THREE CORE FLAT CABLES WITH BARE INCHED COPPER CONDUCTOR XLPE INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823079	6.00	30,785
13823089	10.00	53,460
13823099	16.00	83,075

Product Code	Conductor Area	LP Per 100 Mtr (Rs.)
13823109	25.00	1,29,875
13823119	35.00	1,79,970

3 CORE FLAT CCA CABLES

FINOLEX THREE CORE FLAT CABLES WITH BARE BUNCHED COPPER CLAD ALUMINIUM CONDUCTOR INSULATED AND SHEATHED WITH PVC FOR SUBMERSIBLE PUMP MOTORS WITH VOLTAGE GRADE UP TO 1100 VOLTS

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853079	8	84/.36	19,215
13853089	14	140/.36	31,985
13853099	23	226/.36	50,705

Product Code	Conductor Area	Conductor Construction No. / Dia mm	LP Per 100 Mtr (Rs.)
13853109	36	354/.36	74,640
13853119	50	594/.36	1,03,520

PACKING : Cables are supplied in drums in continuous length. Minimum order quantity is 500 mtrs. If any specific length is required, please refer to us. We reserve the right to supply non-standard lengths upto 20% of the quantity ordered.

NOTE : The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

PVC Insulated Winding Wires



List Price wef. 16 April 2025

PVC INSULATED WINDING WIRES


FINOLEX PVC INSULATED WINDING WIRES WITH BRIGHT ANNEALED SOLID BARE COPPER CONDUCTOR FOR SUBMERSIBLE PUMP MOTORS
CONFORMING TO AND MARKED AS PER IS:8783 PART-4 SECTION-1:1995

Product Code	Conductor Nominal (mm)	List Price per 100 Mtr (Rs.)	Std. Length Per Mono Carton (Mtrs)	No. of Mono Cartons Packed Per Master Carton
13000601	0.60	525	1000	6
13000602	0.60	525	500	6
13000701	0.70	715	1000	6
13000702	0.70	715	500	6
13000801	0.80	920	1000	6
13000802	0.80	920	500	6
13000901	0.90	1,155	1000	5
13000902	0.90	1,155	500	6
13001001	1.00	1,410	1000	5
13001002	1.00	1,410	500	6
13001101	1.10	1,700	1000	4
13001102	1.10	1,700	500	6
13001201	1.20	2,010	1000	4
13001202	1.20	2,010	500	6
13001301	1.30	2,350	1000	3
13001302	1.30	2,350	500	6
13001402	1.40	2,735	500	5
13001502	1.50	3,125	500	5
13001602	1.60	3,545	500	4
13001702	1.70	3,990	500	4
13001802	1.80	4,480	500	4
13001902	1.90	4,980	500	3
13002002	2.00	5,560	500	3
13002102	2.10	6,115	500	3
13002202	2.20	6,695	500	2
13002302	2.30	7,310	500	2
13002402	2.40	7,965	500	2
13002502	2.50	8,635	500	2
13002602	2.60	9,315	500	2
13002702	2.70	10,030	500	2
13002804	2.80*	10,810	250	3
13003004	3.00*	12,380	250	2

NOTE : The items marked as * are non stock items. These sizes may be supplied in 250m standard lengths. Sizes above 3mm can also be supplied on request.

Please refer to Marketing Department regarding delivery period, indicating size, quantity and lengths required.

PACKING : Finolex Winding Wire coils are supplied in mono cartons packed in master cartons as shown above.



Automobile / Solar Power

List Price wef. 16 April 2025



**High thermal rating
to withstand
extreme temperatures**



**Excellent
resistant to
heat pressure**



**Long life &
highly durable
cables**

Auto Battery Cables



AUTO (BATTERY) CABLES : IS 2465

FINOLEX PVC INSULATED HEAVY DUTY AUTO (BATTERY) CABLES WITH BRIGHT ANNEALED COPPER CONDUCTOR BUNCHED TOGETHER INSULATED WITH DIELECTRIC FINOLEX PVC COMPOUND (IMPERVIOUS TO OILS, GREASES, ACIDS, PETROL AND WATER) AS PER IS:2465

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
22209	226/.3	16	6,305	25,210
22210	354/.3	25	9,855	39,415
22211	495/.3	35	13,765	55,060
22212	703/.3	50	19,515	78,070
22513	360/.5	70	28,455	1,13,810
22514	475/.5 *	95	37,630	1,50,510
22515	608/.5 *	120	48,330	1,93,330
22516	750/.5 *	150	59,860	2,39,435
22517	925/.5 *	185	73,985	2,95,955
22518	1221/.5 *	240	97,290	3,89,150

PVC INSULATED AND PVC SHEATHED HIGH TENSION IGNITION CABLE FOR AUTOMOBILES

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2253	17/.3	1.20	845	3,375

105° CENTIGRADE TEMPERATURE RESISTANT PVC INSULATED THIN WALL PLAIN/STRIPED AUTOMOBILE CABLES CONFORMING TO DIN 72551 - PART 6

**Product Code	Conductor Construction	Conductor Area (sq.mm.)	List Price per 25 m coil Rs.	List Price per 100 m coil Rs.
2301	16/.21	0.50	220	865
2302	24/.21	0.75	325	1,295
2303	32/.21	1.00	430	1,720
2304	30/.26	1.50	635	2,525
2305	50/.26	2.50	1,050	4,185
2306	56/.31	4.00	1,740	6,940
2307	84/.31	6.00	2,585	10,305

COLOURS : Finolex Auto (Battery) Cables are generally available in Black & Red colours only. Finolex Auto Cables are generally available in eleven base colours i.e. Red, Blue, Black, Yellow, Green, White, Pink, Violet, Grey, Orange & Brown. In addition, combinations of base and striped colours are also available.

NOTE: The items marked as * are Non-Stock items. Please refer to Marketing Department for delivery confirmation indicating quantity, packing length, colour etc.

Solar Cables

List Price wef. 16 April 2025

SOLAR DC CABLE

FINOLEX MULTI STRANDED ANNEALED TIN COPPER CONDUCTOR, LOW SMOKE, HALOGEN FREE, E-BEAM CROSS LINKED INSULATION AND SHEATHED DC SOLAR CABLE WITH NOMINAL DC VOLTAGE OF 1.5 KV DC AS PER EN 50618 STANDARD.

**Product Code	Material Description	List Price per 100m (Rs.)
16906018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Red	6,200
16996018	56/0.3 ATC 4.0 Solar Cable Ebeam 500M Black	6,200
16907016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Red	9,100
16997016	84/0.3 ATC 6.0 Solar Cable Ebeam 300M Black	9,100

NOTES	
1. Prices	GST extra as applicable.
2. Printing	Finolex industrial cables are printed with Company Name , Logo, Size(sq.mm) & Voltage Grade.
3. Delivery	F.O.R. any station in India by road transport.
4. Product Code	The full product code is of 8 digits. For example : 22209014 - Auto Cable 0.3 conductor 16 sqmm Black 100m 22513102 - Auto Cable 0.5 conductor 70 sqmm Red 25m. a) First three digits are for type of cable i.e. 222 represents Auto Cable IS Specifications for 0.3 conductor, 225 represents Auto Cable IS specifications for 0.5 conductor. b) Next two digits represent size in Sqmm. i.e. 09=16.0 sqmm, 10=25.0, 11=35.0, 12=50.0, 13=70.0, 14=95.0, 15=120.0, 16=150.0, 17=185.0, 18=240.0 sqmm. c) Next two digits are for colour i.e. 01 =Blk, 02=Blu, 04=Brn, 05=Grn, 07=Gry, 08=0rn, 09=Pnk, 10=Red, 11=Vio, 12=Wht, 13=Yel. d) Last digit is for length in meters i.e. 1=Mtrs (non-standard length), 2=25m coil, 4=100m coil.
5. Alteration	This Price List supersedes all our earlier price lists and is subject to change without notice.

Visit us at: www.finolex.com | [/Finolexcables](https://www.facebook.com/Finolexcables) | [/Finolexcables](https://www.instagram.com/Finolexcables) | [/Finolex.Cables](https://www.youtube.com/Finolex.Cables)



Finolex
Cables Limited

AN IS/ISO 9001:2015 CERTIFIED COMPANY


26-27, Mumbai-Pune Road, Pimpri, Pune - 411018, India.
 Tel: 020-27506200 | Fax: 020-27472239
 Visit us at: www.finolex.com | Email: sales@finolex.com
 CIN: L31300MH1967PLC016531

Finolex gets people together

For technical literature please contact our Branch Offices:

Ahmedabad: 7926584637 / 26575639 | **Bengaluru:** 7022979589 |
Bhubaneswar: 0674-2971922 / 2971188 | **Chennai:** 044-28269322 /
 28231514 | **Chandigarh:** 0172-4064047 | **Cochin:** 9388689670 |
Coimbatore: 0422-2330997 | **Dharwad:** 8362746440 | **Goa:** 8322782003 /
 2782065 | **Gurgaon:** 9896763770 | **Guwahati:** 9864027312 / 8135029423
 | **Indore:** 7314911723 | **Jaipur:** 9929111411 | **Kolkata:** 033-24192494 /
 24192495 | **Lucknow:** 052-24035031 | **Mumbai:** 022-22820062 | **New**
Delhi: 011-23324748 / 23353160 | **Patna:** 9934107999 | **Pune:**
 020-27506200 | **Raipur:** 7008336581 | **Ranchi:** 8101383841 |
Secunderabad: 040-27811161 | **Uttarakhand:** 9760045003 | **Vadodara:**
 9879555568 | **Vijayawada:** 9848043967

Sample card available on request



All information given herein is in good faith. Finolex shall not be liable for any damages arising out of incorrect use or interpretation. The Company reserves the right to change any specifications / information without any prior notice.

In order to derive maximum benefit and utilisation of our products, we advise that these products are stored, installed and commissioned as per the norms prevailing in the place of installation. When decommissioned, these should be disposed using appropriate methods/process specified in respective state / location of use so as not to affect the environment adversely.